

MULTI-PURPOSE DOORS



Valportas multi-purpose doors, built in standard size, with 1 or 2 leaves, adapt to a range of different uses. These doors are composed of a 54mm thick galvanized profile frame, to fit in partitions with wall application and a 50mm thick double galvanized sheet.



MULTI-PURPOSE DOORS



Two leaves door



One leaf door




Two leaves door with ventilation grills




One leaf door

Built in standard size, with 1 or 2 sheets, they adapt to a range of different uses. shares. These doors are composed of a 54mm thick galvanized profile frame, to fit in partitions with wall application and a 50mm thick double galvanized sheet.

1 LEAF




MULTI-PURPOSE WITH STANDARD RING			
Work span		Free Pass	
Width (L)	Height (A)	Width (LL)	Height (AL)
700	2100	615	2055
800		715	
900		815	
1000		915	






MULTI-PROPOSE DOORS

Technical Information

2 LEAVES



MULTI-PURPOSE WITH STANDARD RING			
Work span		Free pass	
Width (L)	Height (A)	Width (LL)	Height (AL)
1350	2100	1270	2055
1450		1370	
1550		1470	
1750		1670	




Environment:

- Made of 0.8 mm thick galvanized sheet.
- Composed of an upper profile, a lower profile and two sections joined by welding.



Leaf:

- Made with two 0.5 mm thick galvanized steel sheets joined by rivets.
- They are completely filled with the honeycomb-shaped panel, made of 112 gr/m semi-chemical paper, the size of the cells is 15 mm.
- High compressive strength, 2.2 kg/cm².
- Flat- Light, 11.7 kg/m².
- 100% recyclable.
- Impervious to smoke in case of fire.



Hinges:

- Made of galvanized steel.
- Composed of two parts, joined by welding, they are fixed by means of screws and an articulation shaft.
- The hinges have some spurs, which are inserted into the leaf to prevent the door from breaking.



Lock

- Embedded in the leaf, it is reversible.
- Made of steel.



Puller:

- The set of accessories to operate the lock is made of steel, coated in matte black plastic with foreheads of the same material.
- The cylinder is 70mm.



MULTI-PROPOSE DOORS

Technical Information

Finishes:

Multipurpose doors can have various types of finishes.

Multipurpose door painted in white,
RAL 9010



Galvanized Multipurpose Door



Multipurpose door painted in white with
ventilation grilles, RAL 9010






Multipurpose door galvanized with
ventilation grilles, RAL 9010



- The openings are located above or below the sheet.
- Ventilation area is 560 mm wide by 100 mm high.

OPENING SENSES

RIGHT OPENING



LEFT OPENING

